






United States
Department of
Agriculture

Agricultural
Marketing
Service

TOB-FDA-26

Tobacco Market Review

Fire-Cured and Dark Air-Cured, 1982 Crop



Contents

Summary of fire-cured tobacco grades.	Page 5
Summary of dark air-cured tobacco grades.	6
Review of the 1982/83 Marketing Season.	7

Tables

Tables

1. Acreage, yield, and production of dark tobacco, by type and State	7
2. Opening and closing dates, number of sales days, warehouse firms, and sets of buyers, by market and State.	8
3. Auction warehouse charges and percent of commission, by types, market, and State.	9
4. Average weight per lot, by type and crop year	9
5. Tobacco receipts under Government loan program, by type and crop year	9
6. Producers' sales, value, and average price, by types and crop year.	10
7. Gross sales and resales, by type and crop year.	11
8. Producers' sales, by type, market, State, and crop year	12
9. Gross sales, by type, market, State, and crop year.	13
10. Resales, by type, market, State, and crop year.	14
11. Average prices and loan rates at auction per 100 pounds, by group and grade	15-19
12. Percentage of gross auction sales, by group, type, and crop year.	20
13. Percentage of gross auction sales, by quality, type, and crop year.	20-21
14. Percentage of gross auction sales, by color, type, and crop year.	21
15. Percentage distribution, by grades, for fire-cured tobacco type 21, 1982 crop	22
16. Percentage distribution, by grades, for fire-cured tobacco types 22 and 23, 1982 crop	23
17. Percentage distribution, by grades, for dark air-cured tobacco type 35, 1982 crop	24
18. Percentage distribution, by grades, for dark air-cured tobacco type 36, 1982 crop	25
19. Percentage distribution, by grades, for dark air-cured tobacco type 37, 1982 crop	26

Sources:

The statistics on sales and markets in this review are compiled from data obtained directly from markets and trade sources. The data on prices by grades are based on compilation of information recorded from warehouse sales tickets of markets in the fire-cured and dark air-cured areas.


Cooperative Associations:

Commodity Credit Corporation loans made available to growers through cooperative associations as follows: Type 21: Dark Tobacco Sales Cooperative, Farmville, Va. 23901
Type 22: Eastern Dark-fired Tobacco Growers' Association, Springfield, Tenn. 37172
Type 23: Western Dark-fired Tobacco Growers' Association, Murray, Ky. 42071
Type 35: Eastern Dark-fired Tobacco Growers' Association, Springfield, Tenn. 37172
Western Dark-fired Tobacco Growers' Association, Murray, Ky. 42071
Type 36: Stemming District Tobacco Association, Henderson, Ky. 42420
Type 37: Sun-cured Tobacco Marketing Cooperative, Inc., Richmond, Va. 23261

June 1983

FIRE - CURED TOBACCO

AUCTION MARKETS AND PRODUCING AREAS



Heavy lines are boundaries of producing areas.
Small numbers within circles represent number
of sets of buyers. All markets are officially
inspected.


© 1 SET OF BUYERS IN TYPE 23.

USDA

NEG. AMS-637-83(4)

AGRICULTURAL MARKETING SERVICE

DARK AIR-CURED TOBACCO AUCTION MARKETS AND PRODUCING AREAS



- Heavy lines are boundaries of producing areas.
Small numbers within circles represent number of sets of buyers. All markets are officially inspected.
- ① 2 SETS OF BUYERS ROTATE AMONG TYPE 35 MARKETS,
HENDERSON AND MADISONVILLE SHARE A SET OF BUYERS.

USDA

NEG. AMS-638-83(4)

AGRICULTURAL MARKETING SERVICE

SUMMARY OF FIRE-CURED TOBACCO GRADES

- Type 21: Virginia fire-cured --produced in the piedmont and mountain sections of Virginia.
- Type 22: Eastern district fire-cured --produced in a section east of the Tennessee River in southern Kentucky and northern Tennessee.
- Type 23: Western district fire-cured --produced in a section between the Tennessee, Ohio, and Mississippi Rivers in western Kentucky and northwestern Tennessee.

Key to Standard Grade Marks

Group	Qualities	Colors	Sizes 2/	
A - wrappers	1 - choice	L - light brown	Inches	Size
B - heavy leaf	2 - fine	F - medium brown	12-16	43
C - thin leaf	3 - good	D - dark brown	16-20	44
X - lugs	4 - fair	M - mixed or variegated	20-24	45
N - nondescript	5 - low	VF - greenish medium brown 1/	24-28	46
S - scrap		G - green	Over 28	47

Summary of Standard Grades

Wrappers	Heavy leaf	Thin leaf
A1F	B1F	C1L
A2F	B2F	C2L
A3F 1/	B3F B3D B3M B3VF 1/ B3G	C3L C3F C3D C3M C3VF 1/ C3G
	B4F B4D B4M B4VF 1/ B4G	C4L C4F C4D C4M C4VF 1/ C4G
	B5F B5D B5M B5VF 1/ B5G	C5L C5F C5D C5M C5VF 1/ C5G
Lugs		Nondescript
X1L X1F X1D		N1L N1D N1G
X2L X2F X2D		N2
X3L X3F X3D X3M X3VF 1/ X3G		
X4L X4F X4D X4M X4VF 1/ X4G		
X5L X5F X5D X5M X5VF 1/ X5G		
Scrap		

Special factors "U" (unsound) and "W" (wet) may be applied to all grades.
Tobacco not covered by the standard grades is designated "No-G."

Applicable U.S. Standard Sizes

Type 21	Types 22 and 23
A1 - A2	45, 46, 47
B1	45, 46, 47
B2	44, 45, 46, 47
B3 - B4 - B5	43, 44, 45, 46, 47
C1	45, 46, 47
C2 - C3 - C4 - C5	44, 45, 46, 47
X3 - X4 - X5 - M and G 3/	45
	45, 46, 47
	44, 45, 46, 47
	43, 44, 45, 46, 47
	44, 45, 46, 47
	43, 44, 45, 46, 47

- 1/ Types 22 and 23 only.
 2/ U.S. standard 4-inch sizes. The application of the sizes is governed by the major portion of the lot or package.
 3/ No size is applied to these grades if tobacco is under size 45.

SUMMARY OF DARK AIR-CURED TOBACCO GRADES

Type 35: One sucker --produced in northern Tennessee, south-central Kentucky, and southern Indiana.

Type 36: Green River --produced in the Green River section of Kentucky.

Type 37: Virginia sun-cured --produced in the central section of Virginia, north of the James River.

Key to Standard Grade Marks

<u>Group</u>	<u>Qualities</u>	<u>Colors</u>	<u>Sizes 2/</u>	
A - wrappers	1 - choice	L - light brown	Inches	Size
B - heavy leaf	2 - fine	F - medium brown	12-16	43
C - thin leaf	3 - good	R - reddish brown	16-20	44
T - tips	4 - fair	D - dark brown	20-24	45
X - lugs	5 - low	M - mixed	24-28	46
N - nondescript		G - green	Over 28	47
S - scrap				

Summary of Standard Grades

<u>Wrappers</u>		<u>Heavy leaf</u>					<u>Thin leaf</u>					
A1F	A1R	B1F	B1R	B1D			C1L	C1F	C1R			
A2F	A2R	B2F	B2R	B2D			C2L	C2F	C2R			
A3F	A3R	B3F	B3R	B3D	B3M	B3G	C3L	C3F	C3R	C3M	C3G	
		B4F	B4R	B4D	B4M	B4G	C4L	C4F	C4R	C4M	C4G	
		B5F	B5R	B5D	B5M	B5G	C5L	C5F	C5R	C5M	C5G	
<u>Tips</u>		<u>Lugs</u>										
T3F	T3R	T3D	T3M	T3G			X1L	X1F	X1R			
T4F	T4R	T4D	T4M	T4G			X2L	X2F	X2R			
T5F	T5R	T5D	T5M	T5G			X3L	X3F	X3R	X3D	X3M	X3G
							X4L	X4F	X4R	X4D	X4M	X4G
							X5L	X5F	X5R	X5D	X5M	X5G
<u>Nondescript</u>		<u>Scrap</u>										
		N1L	N1R	N1G				S				
		N2L	N2R	N2G								

Special factors "U" (unsound) and "W" (wet) may be applied to all grades in all types; "BH" to grades in types 35 and 36, and "BL" to type 35. Tobacco not covered by the standard grades is designated "No-G."

Applicable U.S. Standard Sizes

<u>Types 35 and 36</u>			<u>Type 37</u>	
A1 - A2 - A3		45, 46, 47	A1 - A2 - A3	44, 45, 46
B1 - B2 - B3 - B4 - B5		44, 45, 46, 47	B1 - B2 - B3 - B4 - B5	44, 45, 46
C1 - C2 - C3 - C4 - C5		44, 45, 46, 47	C1 - C2 - C3 - C4 - C5	44, 45, 46

Review of the 1982/83 Marketing Season

Sales of the 1982 crop saw volume increase for all types of fire-cured and dark air-cured tobacco. Grade averages were down from the previous year and the percentage of sales placed under loan increased sharply. Direct sales by growers of types 22-23 declined a little, but still made up almost half of total marketings.

Type 21

Lower grade prices and quality resulted in a significant decline in the general average. Gross sales amounted to 5,570,583 pounds averaging \$117.31 per hundred. This was down \$13.28 from the record average set last season when 5,211,671 gross pounds returned \$130.59 per hundred. Volume for 1982 increased 359,000 pounds, but total value of \$6,534,880 was down \$271,000 from the 1981 figure. Just over two-thirds of the grade averages were lower than 1981 levels. Lugs down \$11 to \$17 and nondescript down mostly \$18 to \$24 experienced the heaviest and most consistent declines. In the heavy and thin leaf groups, several light and medium brown grades gained \$2 to \$7, but most grades in these groups declined \$7 to \$11 per hundred pounds. Loan receipts amounted to 8.2 percent of net sales compared with 5.4 percent in 1981.

Types 22-23

Producers' sales of 47.0 million pounds was the largest since 1978 when 51.9 million pounds were sold. Producers' sales amounted to 32.3 million pounds in 1981. This year's average price of \$156.45 was \$4.95 under the record high set a year earlier. Direct sales of 22.2 million pounds sold for a record high average of \$172.32 per hundred - up \$5.14 from 1981. Lower averages prices occurred for most grades this year - with losses ranging generally from \$15 to \$35 per hundred pounds. However, decreases were smaller for grades of lugs and nondescript - amounting to mainly \$2 to \$17.

Quality of offerings improved as less tobacco graded fair, low and nondescript with more fine and good. Loan receipts amounted to 17.5 percent of net auction sales, compared with 9.2 percent last season.

Type 35

Lower prices and poorer quality resulted in the lower average price of \$116.87 per hundred for 11.7 million gross pounds. The average dropped \$11.88 under the record high set a year earlier. Country sales amounted to about 2.8 million pounds averaging \$149.43 per hundred - up \$1.01. Average prices were lower for practically all grades. Losses ranged mainly from \$3 to \$21 per hundred pounds under last year's levels. Loan receipts amounted to 37.8 percent of net auction sales - the largest percentage since 1947 when 39.3 percent was placed under loan. Receipts for the 1981 crop amounted to 11.3 percent.

Type 36

Grade prices declined, however, quality of offerings was better than in 1981. Most losses in grade averages ranged from \$2 to \$10 per hundred pounds. Volume of sales was the largest in four years as 5.8 million gross pounds averaged \$124.42 per hundred - up \$1.33 from the year before. Loan receipts increased to 24.5 percent of net sales - the largest since the 32.9 percent received in 1966. Loan receipts amounted to 14.2 percent in 1981.

Type 37

Volume of sales was up slightly as 738,733 gross pounds averaged \$102.47 per hundred. The average was down \$27.50 from the record high figure of \$129.97 set last season. Poundage increased about 45,000 pounds, but total value of \$756,978 was down \$138,000 from the 1981 value. Grade averages were consistently lower with losses ranging chiefly from \$7 to \$23 per hundred pounds. Also, quality of offerings was down. Loan receipts amounted to 10.2 percent of net sales compared with only .7 percent in 1981. Sun-cured sales on the fire-cured markets this season were ineligible for price support.

Table 1.—Acreage, yield, and production of dark tobacco, by type and State 1/

Type and State	Area harvested		Yield		Production	
	1981	1982	1981	1982	1981	1982
	Acres		Pounds		1,000 Pounds	
Type 21 Virginia	4,100	4,800	1,265	1,150	5,187	5,520
Types 22-23 Kentucky	8,600	10,500	1,595	2,017	13,718	21,183
Tennessee	11,950	13,010	1,566	2,041	18,719	26,553
Total	20,550	23,510	1,578	2,030	32,437	47,736
Type 35 Kentucky	5,700	5,800	1,655	1,985	9,434	11,513
Tennessee	1,700	1,600	1,570	1,865	2,669	2,984
Total	7,400	7,400	1,636	1,959	12,103	14,497
Type 36 Kentucky	2,300	2,800	1,545	1,930	3,554	5,404
Type 37 Virginia	510	570	1,320	1,289	673	735

1/ Data taken from "Crop Production," Crop Reporting Board, Statistical Reporting Service, USDA.
May 1983.

Table 2.--Opening and closing dates, number of sales days, warehouse firms, and sets of buyers, by market and State

Type 21--Virginia fire-cured

Market and State	1982/83 season					1981/82 season				
	Opening dates	Closing dates	Sales days	Whse. firms	Sets of buyers	Opening dates	Closing dates	Sales days	Whse. firms	Sets of buyers
Virginia										
Blackstone	Nov. 22	Feb. 2	14	1	1/	Nov. 24	Feb. 4	14	1	1/
Farmville	Nov. 23	Feb. 3	14	1	1/	Nov. 23	Feb. 4	14	1	1/
Lynchburg	Nov. 22	Feb. 3	14	1	1/	Nov. 23	Feb. 3	14	1	1/
Total type 21			3	2				3	2	

Types 22 & 23--Kentucky and Tennessee fire-cured

Tennessee	1982/83 season					1981/82 season				
	Opening dates	Closing dates	Sales days	Whse. firms	Sets of buyers	Opening dates	Closing dates	Sales days	Whse. firms	Sets of buyers
Clarksville 2/	Jan. 25	Mar. 17	27	6	1	Jan. 18	Mar. 17	24	8	1
Springfield 2/	Jan. 25	Mar. 15	24	5	1	Jan. 18	Mar. 11	20	6	1
Total Tennessee			11	2				14	2	
Kentucky										
Hopkinsville 2/	Jan. 25	Mar. 24	28	4	1	Jan. 18	Mar. 18	16	5	1
Mayfield 2/	Jan. 27	Mar. 10	10	2	3/	Jan. 15	Mar. 3	10	2	3/
Murray 2/	Jan. 26	Mar. 10	10	2	3/	Jan. 14	Mar. 3	10	2	3/
Total Kentucky			8	2				9	2	
Total types 22&23			19	4				23	4	
Total types 21-23			22	6				26	6	

Type 35--One Sucker

Kentucky	1982/83 season					1981/82 season				
	Opening dates	Closing dates	Sales days	Whse. firms	Sets of buyers	Opening dates	Closing dates	Sales days	Whse. firms	Sets of buyers
Franklin 2/	Dec. 7	Feb. 4	11	4	4/	Dec. 8	Jan. 28	10	4	4/
Mayfield 2/	Dec. 10	Feb. 1	6	2	4/	Dec. 10	Feb. 18	6	2	4/
Murray 2/	Dec. 9	Jan. 24	5	2	4/	Dec. 11	Feb. 1	5	2	4/
Russellville 2/	Dec. 6	Feb. 4	14	4	4/	Dec. 7	Feb. 3	12	6	4/
Total Kentucky			12	4/				14	4/	
Tennessee										
Springfield 2/	Dec. 8	Feb. 9	7	5	4/	Dec. 9	Feb. 15	7	5	4/
Total type 35			17	2				19	2	

Type 36--Green River

Kentucky	1982/83 season					1981/82 season				
	Opening dates	Closing dates	Sales days	Whse. firms	Sets of buyers	Opening dates	Closing dates	Sales days	Whse. firms	Sets of buyers
Henderson 2/	Dec. 1	Jan. 19	5	1	5/	Dec. 2	Jan. 20	5	1	5/
Madisonville	Nov. 30	Feb. 1	6	2	5/	Dec. 1	Jan. 19	6	2	5/
Owensboro 2/	Dec. 1	Feb. 4	14	9	5/	Nov. 30	Jan. 20	15	9	5/
Total type 36			12	1				12	1	

Type 37--Virginia sun-cured

Virginia	1982/83 season					1981/82 season				
	Opening dates	Closing dates	Sales days	Whse. firms	Sets of buyers	Opening dates	Closing dates	Sales days	Whse. firms	Sets of buyers
Richmond	Dec. 7	Jan. 28	16	1	1	Dec. 8	Jan. 29	16	1	1
Total types 35-37			32	4				32	4	

1/ Same two sets of buyers used for all markets in type 21.

2/ This market sells more than one type.

3/ These markets shared a set of buyers.

4/ Same two sets of buyers used for all markets in type 35.

5/ Same set used for all markets in type 36.

Table 3.—Auction warehouse charges and percent of commission, by type, market, and State

Type, market, and State	Auction fee	Commission on gross sales	Type, market, and State	Auction fee	Commission on gross sales
	Per 100 pounds	Percent		Per 100 pounds	Percent
Type 21			Type 35		
Blackstone, Va.	\$.75	4.0	Franklin, Ky.	\$.50	4.5
Farmville, Va.	.75	4.0	Mayfield, Ky.	.70	5.25
Lynchburg, Va.	.75	4.0			
Type 22			Murray, Ky.	6.50	-
Clarksville, Tenn.	7.50	-	Russellville, Ky.	.60	5.0
	.50	5.0	Springfield, Tenn.	7.50	-
	-	5.75			
		4.5	Type 36		
Springfield, Tenn.	7.50	-	Henderson, Ky.	1.00	5.0
Hopkinsville, Ky.	6.50	-	Madisonville, Ky.	1.00	5.0
Type 23			Owensboro, Ky.	1.00	5.0
Mayfield, Ky.	.70	5.25	Type 37		
Murray, Ky.	6.50	-	Richmond, Va.	.75	4.0

Table 4.—Average weight per lot, by type and crop year

Crop	Type 21	Types 22 & 23	Type 35	Type 36	Type 37
	Pounds	Pounds	Pounds	Pounds	Pounds
1977	161	394	286	276	141
1978	156	462	342	330	148
1979	153	426	294	280	130
1980	149	397	313	315	139
1981	152	395	306	314	142
1982	148	429	317	320	138

Table 5.—Tobacco receipts under Government loan program, by type and crop year
Fire-cured

Crop	Type 21		Type 22-23		Types 21-23	
	Receipts	Percentage of net auction sales	Receipts	Percentage of net auction sales	Receipts	Percentage of net auction sales
	1,000 pounds	Percent	1,000 pounds	Percent	1,000 pounds	Percent
1977	1,036	14.2	1,133	4.1	2,169	6.2
1978	1,779	26.1	11,213	27.0	12,992	26.9
1979	887	16.3	11,442	40.3	12,329	36.5
1980	259	7.0	2,087	14.9	2,346	13.3
1981	275	5.4	1,124	9.2	1,399	8.1
1982	446	8.2	4,357	17.5	4,803	15.8

Dark air-cured

Crop	Type 35		Type 36		Type 37		Types 35-37	
	Receipts	Percentage of net auction sales						
	1,000 pounds	Percent						
1977	45	.5	0	0	13	1.6	58	.4
1978	3,233	26.6	1,070	15.0	124	14.2	4,427	22.0
1979	1,459	17.2	750	15.9	30	5.3	2,239	16.3
1980	1,106	13.4	287	7.0	2	.4	1,395	10.9
1981	946	11.3	537	14.2	4	.7	1,487	11.6
1982	4,346	37.8	1,381	24.5	69	10.2	5,797	32.6

Table 6.--Producers' sales, value, and average price, by types and crop year

Type 21 Virginia fire-cured				Type 35 One-Sucker			
Crop	Sales	Value	Price per 100 pounds	Crop	Sales	Value	Price per 100 pounds
<u>Auction</u>				<u>Auction</u>			
Pounds	Dollars	Dollars		Pounds	Dollars	Dollars	
1977 7,292,889	7,021,977	96.29		1977 8,682,532	10,107,359	116.41	
1978 6,825,946	6,451,753	94.52		1978 12,165,566	11,306,292	92.94	
1979 5,432,431	5,861,019	107.89		1979 8,469,733	9,222,740	108.89	
1980 3,689,065	4,727,210	128.14		1980 8,266,940	9,987,129	120.81	
1981 5,068,477	6,647,092	131.15		1981 8,390,063	10,812,996	128.88	
1982 5,468,456	6,431,216	117.61		1982 11,498,774	13,464,732	117.10	
Types 22 & 23							
Kentucky and Tennessee fire-cured				Type 35 One Sucker			
<u>Auction</u>				<u>Country</u>			
1977 27,441,604	34,478,471	125.64		1977 5,407,859	6,460,944	119.47	
1978 41,470,299	43,289,589	104.39		1978 3,133,377	3,732,913	119.13	
1979 28,372,980	29,166,624	102.80		1979 2,915,466	3,778,735	129.61	
1980 14,017,515	17,083,557	121.87		1980 3,869,047	5,595,228	144.62	
1981 12,265,152	18,653,143	152.08		1981 3,572,198	5,301,856	148.42	
1982 24,899,017	35,456,739	142.40		1982 2,778,229	4,151,508	149.43	
Types 22 & 23							
Kentucky and Tennessee fire-cured				Type 35 One Sucker			
<u>Country</u>				<u>Total</u>			
1977 18,587,293	26,882,802	144.63		1977 14,090,391	16,568,303	117.59	
1978 10,429,545	15,101,981	144.80		1978 15,298,943	15,039,205	98.30	
1979 10,873,736	15,837,596	145.65		1979 11,385,199	13,001,475	114.20	
1980 18,195,809	28,804,259	158.30		1980 12,135,987	15,582,357	128.40	
1981 20,039,494	33,502,026	167.18		1981 11,962,261	16,114,852	134.71	
1982 22,199,855	38,253,770	172.32		1982 14,277,003	17,616,240	123.39	
Types 22 & 23							
Kentucky and Tennessee fire-cured				Type 36 Green River			
<u>Total</u>				<u>Auction</u>			
1977 46,028,897	61,361,273	133.31		1977 6,021,736	7,109,122	118.06	
1978 51,899,844	58,391,570	112.51		1978 7,119,152	7,200,199	101.14	
1979 39,246,716	45,004,220	114.67		1979 4,717,313	4,965,866	105.27	
1980 32,213,324	45,887,816	142.45		1980 4,116,740	5,182,547	125.89	
1981 32,304,646	52,155,169	161.45		1981 3,777,371	4,651,276	123.14	
1982 47,098,872	73,710,509	156.50		1982 5,629,262	6,998,325	124.32	
Types 21-23							
Total fire-cured				Type 37 Virginia sun-cured			
<u>Total</u>				<u>Auction</u>			
1977 53,321,786	68,383,250	128.25		1977 825,671	826,500	100.10	
1978 58,725,790	64,843,323	110.42		1978 875,308	777,082	88.78	
1979 44,679,147	50,865,239	113.85		1979 563,495	511,655	90.80	
1980 35,902,389	50,615,026	140.98		1980 387,823	492,801	127.07	
1981 37,373,123	58,802,261	157.34		1981 667,263	878,425	131.65	
1982 52,567,328	80,141,725	152.46		1982 677,346	720,823	106.42	
Types 35-37							
Total dark air-cured				<u>Total</u>			
1977	20,937,798	24,503,925	117.03	1977	23,293,403	23,016,486	98.81
1978	16,666,007	18,478,996	110.88	1979	16,640,550	21,257,705	127.75
1979	16,406,895	21,644,553	131.92	1980	20,583,611	25,335,388	123.09
1980				1981			
1981				1982			
1982							

Table 7.—Gross sales and resales, by type and crop year

Type 21—Virginia fire-cured						
Crop	Gross sales			Resales		
	Sales Pounds	Value Dollars	Price per 100 pounds Dollars	Resales Pounds	Price per 100 pounds Dollars	Percentage of gross sales Percent
1977	7,408,227	7,128,747	96.23	115,338	92.57	1.6
1978	6,942,047	6,562,037	94.53	116,101	94.99	1.7
1979	5,549,748	5,943,554	107.10	117,317	70.35	2.1
1980	3,769,701	4,801,889	127.38	80,636	92.61	2.1
1981	5,211,671	6,806,074	130.59	143,194	111.03	2.8
1982	5,570,583	6,534,880	117.31	102,127	101.51	1.8
Types 22 & 23—Kentucky and Tennessee fire-cured						
1977	28,113,610	35,288,573	125.52	672,006	120.55	2.4
1978	42,031,345	43,935,506	104.53	561,046	115.13	1.3
1979	28,784,097	29,648,697	103.00	411,117	117.26	1.4
1980	14,580,071	17,848,091	122.41	562,556	135.90	3.9
1981	12,702,814	19,358,071	152.39	437,662	161.07	3.4
1982	25,432,255	36,265,038	142.59	533,238	151.58	2.1
Type 35—One Sucker						
1977	9,072,744	10,580,076	116.61	390,212	121.14	4.3
1978	12,497,862	11,652,860	93.24	332,296	104.29	2.7
1979	8,824,347	9,632,872	109.16	354,614	115.66	4.0
1980	8,566,766	10,360,959	120.94	299,826	124.68	3.5
1981	8,536,837	10,990,854	128.75	146,774	121.18	1.7
1982	11,735,270	13,714,581	116.87	236,496	105.65	2.0
Type 36—Green River						
1977	6,269,488	7,390,087	117.87	247,752	113.41	4.0
1978	7,406,322	7,512,210	101.43	287,170	108.65	3.9
1979	4,975,729	5,242,704	105.37	258,416	107.13	5.2
1980	4,447,408	5,625,335	126.49	330,668	133.91	7.4
1981	3,906,025	4,807,825	123.09	128,654	121.68	3.3
1982	5,819,460	7,240,344	124.42	190,198	127.25	3.3
Type 37—Virginia sun-cured						
1977	829,533	829,226	99.96	3,862	70.59	.5
1978	883,076	782,059	88.56	7,768	64.07	.9
1979	577,403	521,162	90.26	13,908	68.36	2.4
1980	390,310	494,516	126.70	2,487	68.96	.6
1981	688,490	894,839	129.97	21,227	77.33	3.1
1982	738,733	756,978	102.47	61,387	58.90	8.3
Types 21-23—total fire-cured						
1977	35,521,837	42,417,320	119.41	787,344	116.45	2.2
1978	48,973,392	50,497,543	103.11	677,147	111.67	1.4
1979	34,333,845	35,592,251	103.67	528,434	106.85	1.5
1980	18,349,772	22,649,980	123.43	643,192	130.48	3.5
1981	17,914,485	26,164,145	146.05	580,856	148.73	3.2
1982	31,002,838	42,799,918	138.05	635,365	143.53	2.1
Types 35-37—total dark air-cured						
1977	16,171,765	18,799,389	116.25	641,826	117.85	4.0
1978	20,787,260	19,947,129	95.96	627,234	105.79	3.0
1979	14,377,479	15,396,738	107.09	626,938	111.09	4.4
1980	13,404,484	16,480,810	122.95	632,981	129.28	4.7
1981	13,131,352	16,693,518	127.13	296,655	118.26	2.3
1982	18,293,463	21,711,903	118.69	488,081	108.18	2.7

Table 8.--Producers' sales, by type, market, State, and crop year

Market and State	1982 crop			1981 crop		
	Sales Pounds	Value Dollars	Price per 100 pounds Dollars	Sales Pounds	Value Dollars	Price per 100 pounds Dollars
Type 21--Virginia fire-cured						
Virginia						
Blackstone	1,830,268	2,064,202	112.78	1,671,854	2,184,603	130.67
Farmville	1,647,032	1,955,935	118.76	1,549,899	2,016,942	130.13
Lynchburg	1,975,986	2,390,462	120.98	1,846,724	2,445,547	132.43
Other mkts.	15,170	20,617	135.91	--	--	--
Total type 21	5,468,456	6,431,216	117.61	5,068,477	6,647,092	131.15
Types 22 & 23--Kentucky and Tennessee fire-cured						
Tennessee						
Clarksville	6,257,207	8,815,581	140.89	3,226,968	4,967,996	153.95
Springfield	6,348,328	9,098,207	143.32	3,005,106	4,716,540	156.95
Total Tennessee	12,605,535	17,913,788	142.11	6,232,074	9,684,536	155.40
Kentucky						
Hopkinsville	6,360,890	8,879,447	139.59	2,903,210	4,467,225	153.87
Mayfield	3,062,124	4,423,956	144.47	1,615,252	2,278,643	141.07
Murray	2,870,468	4,239,548	147.70	1,514,616	2,222,739	146.75
Total Kentucky	12,293,482	17,542,951	142.70	6,033,078	8,968,607	148.66
Total types 22&23	24,899,017	35,456,739	142.40	12,265,152	18,653,143	152.08
Type 35--One Sucker						
Kentucky						
Franklin	2,504,766	2,793,625	111.53	2,083,046	2,723,274	130.74
Mayfield	1,904,592	2,140,612	112.39	1,220,940	1,354,263	110.92
Murray	632,092	730,784	115.61	247,410	269,938	109.11
Russellville	4,523,192	5,428,273	120.01	3,455,558	4,661,174	134.89
Total Kentucky	9,564,642	11,093,294	115.98	7,006,954	9,008,649	128.57
Tennessee						
Springfield	1,934,132	2,371,438	122.61	1,383,109	1,804,347	130.46
Total type 35	11,498,774	13,464,732	117.10	8,390,063	10,812,996	128.88
Type 36--Green River						
Kentucky						
Henderson	312,908	374,461	119.67	316,940	384,412	121.29
Madisonville	1,024,642	1,257,024	122.68	639,270	762,183	119.23
Owensboro	4,291,712	5,366,840	125.05	2,821,161	3,504,681	124.23
Total type 36	5,629,262	6,998,325	124.32	3,777,371	4,651,276	123.14
Type 37--Virginia sun-cured						
Virginia						
Richmond	664,993	710,343	106.82	645,659	857,820	132.86
Fire-cured mkts.	12,353	10,480	84.84	21,604	20,605	95.38
Total type 37	677,346	720,823	106.42	667,263	878,425	131.65

Table 9.--Gross sales, by type, market, State, and crop year

Market and State	1982 crop			1981 crop		
	Gross sales	Value	Price per 100 pounds	Gross sales	Value	Price per 100 pounds
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Type 21--Virginia fire-cured						
Virginia						
Blackstone	1,875,317	2,105,913	112.30	1,723,308	2,242,007	130.10
Farmville	1,648,481	1,957,953	118.77	1,572,835	2,044,992	130.02
Lynchburg	2,019,996	2,430,569	120.33	1,915,528	2,519,075	131.51
Other mkts.	26,789	40,445	150.98	--	--	--
Total type 21	5,570,583	6,534,880	117.31	5,211,671	6,806,074	130.59
Types 22 & 23--Kentucky and Tennessee fire-cured						
Tennessee						
Clarksville	6,298,951	8,877,387	140.93	3,261,336	5,013,829	153.74
Springfield	6,579,784	9,456,285	143.72	3,159,618	4,969,186	157.27
Total Tennessee	12,878,735	18,333,672	142.36	6,420,954	9,983,015	155.48
Kentucky						
Hopkinsville	6,450,356	9,019,666	139.83	2,970,502	4,575,751	154.04
Mayfield	3,220,210	4,651,944	144.46	1,780,286	2,549,906	143.23
Murray	2,882,954	4,259,756	147.76	1,531,072	2,249,399	146.92
Total Kentucky	12,553,520	17,931,366	142.84	6,281,860	9,375,056	149.24
Total types 22&23	25,432,255	36,265,038	142.59	12,702,814	19,358,071	152.39
Type 35--One Sucker						
Kentucky						
Franklin	2,528,774	2,810,668	111.15	2,095,286	2,739,509	130.75
Mayfield	1,932,446	2,177,449	112.68	1,260,070	1,401,759	111.24
Murray	634,460	734,016	115.69	250,620	273,739	109.22
Russellville	4,653,550	5,558,176	119.44	3,526,328	4,745,861	134.58
Total Kentucky	9,749,230	11,280,309	115.70	7,132,304	9,160,868	128.44
Tennessee						
Springfield	1,986,040	2,434,272	122.57	1,404,533	1,829,986	130.29
Total type 35	11,735,270	13,714,581	116.87	8,536,837	10,990,854	128.75
Type 36--Green River						
Kentucky						
Henderson	335,332	405,713	120.99	320,762	386,536	120.51
Madisonville	1,024,642	1,257,024	122.68	639,608	762,673	119.24
Owensboro	4,459,486	5,577,607	125.07	2,945,655	3,658,616	124.20
Total type 36	5,819,460	7,240,344	124.42	3,906,025	4,807,825	123.09
Type 37--Virginia sun-cured						
Virginia						
Richmond	726,380	746,498	102.77	666,118	873,292	131.10
Fire-cured mkts.	12,353	10,480	84.84	22,372	21,547	96.31
Total type 37	738,733	756,978	102.47	688,490	894,839	129.97

Table 10.--Resales, by type, market, State, and crop year

Market and State	1982 crop			1981 crop		
	Resales	Price per 100 pounds	Percent of gross	Resales	Price per 100 pounds	Percent of gross
	Pounds	Dollars		Pounds	Dollars	
Type 21--Virginia fire-cured						
Virginia						
Blackstone	45,049	92.59	2.4	51,454	111.56	3.0
Farmville	1,449	139.56	.1	22,936	122.30	1.5
Lynchburg	44,010	91.13	2.2	68,804	106.87	3.6
Other mkt.	11,619	170.66	43.4	--	--	--
Total type 21	102,127	101.51	1.8	143,194	111.03	2.8

Type 22 & 23--Kentucky and Tennessee fire-cured

Tennessee	Resales	Price per 100 pounds	Percent of gross	Resales	Price per 100 pounds	Percent of gross
Clarksville	41,744	148.06	.7	34,368	133.36	1.1
Springfield	231,456	154.71	3.5	154,512	163.51	4.9
Total Tennessee	273,200	153.69	2.1	188,880	158.03	2.9
Kentucky						
Hopkinsville	89,466	156.73	1.4	67,292	161.28	2.3
Mayfield	158,086	144.22	4.9	165,034	164.37	9.3
Murray	12,486	161.85	.4	16,456	162.01	1.1
Total Kentucky	260,038	149.37	2.1	248,782	163.38	4.0
Total types 22&23	533,238	151.58	2.1	437,662	161.07	3.5

Type 35--One Sucker

Kentucky	Resales	Price per 100 pounds	Percent of gross	Resales	Price per 100 pounds	Percent of gross
Franklin	24,008	70.99	1.0	12,240	132.64	0.6
Mayfield	27,854	132.25	1.4	39,130	121.38	3.1
Murray	2,368	136.49	.4	3,210	118.41	1.3
Russellville	130,358	99.65	2.8	70,770	119.67	2.0
Total Kentucky	184,588	101.31	1.9	125,350	121.44	1.8
Tennessee						
Springfield	51,908	121.05	2.6	21,424	119.67	1.5
Total type 35	236,496	105.65	2.0	146,774	121.18	1.7

Type 36--Green River

Kentucky	Resales	Price per 100 pounds	Percent of gross	Resales	Price per 100 pounds	Percent of gross
Henderson	22,424	139.37	6.7	3,822	55.57	1.2
Madisonville	--	--	--	338	144.97	.1
Owensboro	167,774	125.63	3.8	124,494	123.65	4.2
Total type 36	190,198	127.25	3.3	128,654	121.68	3.3

Type 37--Virginia sun-cured

Virginia	Resales	Price per 100 pounds	Percent of gross	Resales	Price per 100 pounds	Percent of gross
Richmond	61,387	58.90	8.5	20,459	75.62	3.1
Fire-cured mkt.	--	--	--	768	122.66	3.4
Total type 37	61,387	58.90	8.3	21,227	77.33	3.1

Table 11.—Average prices and loan rates at auction per 100 pounds, by group and grade 1/

Group and grade	1982 crop		Group and grade	1982 crop		Group and grade	1982 crop		Group and grade	1982 crop			
	Season average	Loan rate		Season average	Loan rate		Season average	Loan rate		Season average	Loan rate		
	Dollars			Dollars			Dollars			Dollars			
Type 21 - Virginia fire-cured													
Wrappers													
A1F 47	-	185	B5D 47	-	111	C5L 46	140	113	C3G 45	-	105		
46	-	185		46	125	111	45	137	113	44	-		
45	-	185		45	125	111	44	116	111	C4G 47	126		
A2F 47	-	177		44	120	108	C1F 47	235	192	46	123		
46	-	177		43	-	84	46	230	192	45	123		
45	-	178	B3M 47	-	117	45	-	192	44	107	89		
A1D 47	-	185		46	148	121	C2F 47	198	184	C5G 47	104		
46	-	185		45	148	121	46	203	184	46	107		
45	-	185		44	-	115	45	189	184	45	106		
A2D 47	-	178		43	-	107	44	-	172	44	91		
46	-	178	B4M 47	130	110	C3F 47	173	160			81		
45	-	178		46	137	115	46	171	160	Lugs			
Heavy Leaf				45	138	115	45	169	160	X1L	-		
B1F 47	216	180		44	126	105	44	166	155	X2L	124		
46	223	180		43	120	97	C4F 47	165	147	X3L	122		
45	-	180	B5M 47	122	100	46	163	147	X4L	-			
B2F 47	184	172		46	120	101	45	162	147	X5L	119		
46	186	172		45	117	101	44	157	145	X1F	127		
45	181	172		44	114	101	C5F 47	132	113	X2F	111		
44	-	166		43	93	86	46	134	113	X3F	122		
B3F 47	170	160	B3G 47	147	119	45	136	113	X4F	-			
46	170	160		46	150	121	44	130	111	X5F	142		
45	171	160		45	-	122	C2D 47	-	110	X1D	119		
44	166	155		44	-	115	46	-	110	X2D	126		
43	-	108		43	-	106	45	-	111	X3D	105		
B4F 47	158	147	B4G 47	133	108	44	-	100	X4D	-			
46	160	147		46	135	111	C3D 47	-	104	X5D	102		
45	161	147		45	130	112	46	151	105	X3M	91		
44	157	145		44	122	109	45	-	106	X3M 45	95		
43	-	98		43	-	96	44	-	96	X4M	89		
B5F 47	133	113	B5G 47	-	99	C4D 47	119	90	X4M 45	-			
46	134	113		46	120	101	46	123	93	X5M 45	77		
45	134	113		45	115	101	45	122	95	2/	62		
44	126	111		44	107	95	44	111	89	X3G	61		
43	98	87		43	93	85	C5D 47	94	80	X3G 45	-		
B1D 47	-	180	Thin Leaf			46	96	81	X4G	-			
46	-	180	C1L 47	238	192	45	99	82	X4G 45	96			
45	-	180		46	242	192	44	94	81	X5G	75		
B2D 47	-	169		45	-	192	C3M 47	-	118	X5G 45	66		
46	198	170	C2L 47	218	184	46	158	120		Nondescript	62		
45	204	170		46	208	184	45	145	121	N1L	2/		
44	-	164		45	-	184	44	-	116	N1D	43		
B3D 47	-	155		44	-	172	C4M 47	126	112	N1GL	0		
46	171	155	C3L 47	188	162	46	137	114	N1GD	2/			
45	175	155		46	173	162	45	139	115	47	0		
44	167	150		45	171	162	44	129	112	N2	26		
43	-	101		44	-	157	C5M 47	115	89		0		
B4D 47	155	142	C4L 47	165	149	46	114	91					
46	154	142		46	164	149	45	115	93				
45	158	142		45	163	149	44	106	91				
44	156	140		44	158	148	C3G 47	-	101				
43	-	92	C5L 47	-	113	46	-	101					

Continued

See footnotes on page 19.

Table 11.—Average prices and loan rates at auction per 100 pounds, by group and grade 1/ —Continued

Group and grade	Types 22 and 23 - Kentucky and Tennessee fire-cured							
	1982 crop		1982 crop		1982 crop		1982 crop	
	Season average	Loan rate	Season average	Loan rate	Season average	Loan rate	Season average	Loan rate
	Dollars		Dollars		Dollars		Dollars	
Wrappers								
A1F 47	-	186	B3M 46	-	149	C1F 46	181	172
46	195	186		45	149	45	-	172
45	-	186		44	145	44	-	168
A2F 47	-	181	B4M 47	-	143	C2F 47	175	166
46	181	181		46	146	46	176	166
45	-	181		45	149	45	177	166
A3F 47	177	173		44	-	44	-	163
46	180	173	B5M 47	-	134	C3F 47	171	160
45	-	173		46	134	46	170	160
A1D 47	-	186		45	134	45	169	160
46	-	186		44	-	44	-	157
45	-	186	B3VF 47	156	149	C4F 47	166	152
A2D 47	-	181		46	164	46	164	152
46	185	181		45	165	46	164	152
45	-	181		44	-	45	-	150
A3D 47	-	173	B4VF 47	155	146	C5F 47	150	144
46	-	173		46	154	44	-	149
45	-	173		45	147	45	151	144
				44	-	46	154	144
					143	46	144	143
Heavy Leaf			B5VF 47	140	137	45	150	144
B1F 47	191	170		46	142	44	-	140
46	180	170		45	145	43	-	133
45	-	170		44	-	134	C1D 47	174
44	-	165	B3G 47	-	149	46	185	171
B2F 47	176	164		46	-	45	-	171
46	178	164		45	-	44	-	166
45	179	164		44	-	43	174	160
44	-	160	B4G 47	150	143	46	172	160
B3F 47	170	158		46	145	45	-	160
46	170	158		45	148	44	-	157
45	168	158		44	-	139	C3D 47	167
44	170	155	B5G 47	136	130	46	168	153
B4F 47	161	152		45	135	45	165	153
46	162	152		45	-	44	-	150
45	157	152		44	-	125	43	-
44	-	149				C4D 47	159	143
B5F 47	147	143	Thin Leaf			46	155	143
46	150	143	C1L 47	-	172	45	152	143
45	151	143		46	-	172	44	-
44	-	140		45	-	172	43	-
B1D 47	-	169	C2L 47	-	168	C5D 47	143	135
46	-	169		46	-	166	46	145
45	-	169		46	-	166	45	135
44	-	164		45	-	166	44	-
B2D 47	-	163	C3L 47	-	163	43	-	133
46	178	163		44	-	163	43	-
45	-	163		46	167	46	-	148
44	-	159		46	160	46	164	148
B3D 47	174	157		45	161	45	158	148
46	165	157		44	-	44	-	145
45	166	157		43	-	150	43	-
44	-	153	C4L 47	-	152	C4M 47	-	139
B4D 47	159	151		46	162	46	153	141
46	157	151		45	161	45	150	141
45	155	151		44	-	149	44	-
44	-	148	C5L 47	-	143	C5M 47	-	133
B5D 47	-	140		46	150	46	137	131
46	142	140		45	149	45	138	131
45	-	140		44	-	141	44	-
44	-	136		43	-	134	43	-
B3M 47	-	149	C1F 47	-	172	C3VF 47	161	150

Continued

Table 11.--Average prices and loan rates at auction per 100 pounds, by group and grade 1/ --Continued

		Type 35 - One Sucker															
Group and grade	1982 crop		Group and grade	1982 crop		Group and grade	1982 crop		Group and grade	1982 crop		Group and grade	1982 crop				
	Season average	Loan rate		Season average	Loan rate		Season average	Loan rate		Season average	Loan rate		Season average	Loan rate			
Dollars		Dollars			Dollars			Dollars			Dollars						
Wrappers																	
A1F 47	-	172	B1D 46	-	157	C5L 47	-	128	C4G 46	122	119						
46	-	172		45	-	157	46	-	128	45	121	119					
45	-	172		44	-	155	45	-	128	44	-	118					
A2F 47	-	166	B2D 47	-	151		44	-	126	C5G 47	109	108					
46	-	166		46	-	151	C1F 47	-	163	46	109	108					
45	-	166		45	-	151	46	164	163	45	110	108					
A3F 47	-	160		44	-	150	45	-	163	44	108	107					
46	-	160	B3D 47	-	144		44	-	162								
45	-	160		46	-	144	C2F 47	-	158	Tips							
A1R 47	-	172		45	-	144	46	159	158	T3F	-	100					
46	-	172		44	-	143	45	160	158	T4F	-	97					
45	-	172	B4D 47	-	133		44	-	157	T5F	-	86					
A2R 47	-	166		46	-	133	C3F 47	154	152	T3R	-	101					
46	-	166		45	-	133	46	156	152	T4R	-	97					
45	-	166		44	-	132	45	157	152	T5R	-	88					
A3R 47	-	160	B5D 47	-	123		C4F 47	144	140	T3D	-	99					
46	-	160		46	123	123	46	146	140	T4D	-	97					
45	-	160		45	-	123	45	147	140	T5D	-	85					
Heavy Leaf				B3M 47	-	132		44	-	139	T3M	-	98				
B1F 47	-	160		46	137	132	C5F 47	131	128	T4M	-	92					
46	-	160		45	-	132	46	131	128	T5M	-	83					
45	-	160		44	-	131	45	134	128	T3G	-	97					
44	-	157	B4M 47	123	121		44	-	126	T4G	-	93					
B2F 47	-	153		46	126	121	C1R 47	-	162	T5G	-	83					
46	158	153		45	121	121	46	-	162	Lugs							
45	-	153		44	-	120	45	-	162	X1L	-	142					
44	-	152	B5M 47	-	114		44	-	161	X2L	-	137					
B3F 47	-	148		46	114	114	C2R 47	-	157	X3L	141	135					
46	154	148		45	114	114	46	158	157	X4L	130	127					
45	154	148		44	-	113	45	-	157	X5L	-	116					
44	-	146	B3G 47	-	127		44	-	156	X1F	-	142					
B4F 47	139	135		46	-	127	C3R 47	-	151	X2F	145	138					
46	142	135		45	-	127	46	154	151	X3F	140	135					
45	143	135		44	-	126	45	154	151	X4F	130	127					
44	-	134	B4G 47	-	121		44	-	149	X5F	118	117					
B5F 47	-	125		46	125	121	C4R 47	141	137	X1R	-	139					
46	127	125		45	-	121	46	141	137	X2R	-	136					
45	130	125		44	-	120	45	141	137	X3R	139	132					
44	-	124	B5G 47	112	112		44	137	136	X4R	124	124					
B1R 47	-	159		46	113	112	C5R 47	-	125	X5R	116	114					
46	-	159		45	112	112	46	126	125	X3D	-	112					
45	-	159		44	-	111	45	127	125	X4D	-	102					
44	-	157					44	125	124	X5D	-	94					
B2R 47	-	152	Thin Leaf				C3M 47	-	132	X3M	114	105					
46	-	152	C1L 47	-	163		46	142	132	X4M	103	97					
45	-	152		46	-	163	45	-	132	X5M	92	85					
44	-	151		45	-	163	44	-	131	X3G	101	98					
B3R 47	-	146		44	-	162	C4M 47	126	122	X4G	89	79					
46	153	146	C2L 47	-	158		46	129	122	X5G	75	60					
45	-	146		46	-	158	45	130	122	Nondescript							
44	-	145		45	-	158	44	-	121								
B4R 47	135	134		44	-	157	C5M 47	-	112	N1L	78	55					
46	138	134	C3L 47	-	153		46	113	112	N2L	32	0					
45	138	134		46	158	153	45	114	112	N1R	65	49					
44	135	133		45	-	153	44	113	111	N2R	31	0					
B5R 47	-	124		44	-	152	C3G 47	-	133	N1G	52	37					
46	126	124	C4L 47	-	140		46	-	133	N2G	25	0					
45	127	124		46	149	140	45	-	133								
44	123	123		45	148	140	44	-	131								
B1D 47	-	157		44	-	139	C4G 47	123	119								

Continued

Table 11.—Average prices and loan rates at auction per 100 pounds, by group and grade 1/ —Continued

Type 36 - Green River											
Group and grade	1982 crop										
	Season average	Loan rate									
Dollars			Dollars			Dollars			Dollars		
Wrappers											
A1F 47	-	172	B1D 46	-	157	C5L 47	-	128	C4G 46	136	119
46	-	172	45	-	157	46	-	128	45	125	119
45	-	172	44	-	155	45	-	128	44	-	118
A2F 47	-	166	B2D 47	-	151	44	-	126	C5G 47	-	108
46	-	166	46	-	151	C1F 47	-	163	46	117	108
45	-	166	45	-	151	46	-	163	45	116	108
A3F 47	-	160	B3D 47	-	144	45	-	163	44	-	107
46	-	160	46	-	144	C2F 47	-	158	Tips		
45	-	160	46	-	144	46	159	158	T3F	-	100
A1R 47	-	172	45	-	144	45	-	158	T4F	-	97
46	-	172	44	-	143	45	-	158	T5F	-	86
45	-	172	B4D 47	-	133	C3F 47	-	157	T3R	-	101
A2R 47	-	166	46	-	133	46	157	152	T4R	116	97
46	-	166	45	-	133	46	157	152	T5R	95	88
45	-	166	44	-	132	45	157	152	T3D	-	99
A3R 47	-	160	B5D 47	-	123	C4F 47	-	150	T4D	104	97
46	-	160	46	-	123	47	153	140	T5D	-	85
45	-	160	45	-	123	46	151	140	T3M	-	98
			44	-	122	45	148	140	T4M	113	92
Heavy Leaf											
B1F 47	-	160	B3M 47	-	132	44	147	139	T5M	-	83
46	-	160	46	-	132	C5F 47	-	128	T3G	-	97
45	-	160	45	-	132	46	139	128	T4G	-	93
44	-	157	B4M 47	-	121	45	138	128	T5G	-	83
B2F 47	-	153	46	-	121	C1R 47	-	162	Lugs		
46	-	153	45	131	121	46	-	162	X1L	-	142
45	-	153	44	-	120	45	-	162	X2L	-	137
44	-	152	B5M 47	-	114	44	-	161	X3L	-	135
B3F 47	-	148	46	-	114	C2R 47	-	157	X4L	-	127
46	-	148	45	-	114	46	-	157	X5L	-	116
45	158	148	44	-	113	45	-	157	X1F	-	142
44	-	146	B3G 47	-	127	44	-	156	X2F	-	138
B4F 47	-	135	46	-	127	C3R 47	-	151	X3F	140	135
46	158	135	45	-	127	46	155	151	X4F	139	127
45	-	135	44	-	126	45	154	151	X5F	119	117
44	-	134	B4G 47	-	121	44	141	149	X1R	-	139
B5F 47	-	125	46	-	121	C4R 47	150	137	X2R	-	136
46	-	125	45	-	121	46	145	137	X3R	142	132
45	-	125	44	-	120	45	143	137	X4R	128	124
44	-	124	B5G 47	-	112	44	141	136	X5R	118	114
B1R 47	-	159	46	-	112	C5R 47	-	125	X3D	-	112
46	-	159	45	-	112	46	139	125	X4D	-	102
45	-	159	44	-	111	45	132	125	X5D	-	94
44	-	157	Thin Leaf			44	128	124	Nondescript		
B2R 47	-	152	C1L 47	-	163	C3M 47	-	132	X3M	120	105
46	-	152	46	-	163	46	157	132	X4M	106	97
45	-	152	46	-	163	45	-	132	X5M	94	85
44	-	151	45	-	163	44	-	131	X3G	-	98
B3R 47	-	146	44	-	162	C4M 47	-	122	X4G	91	79
46	-	146	C2L 47	-	158	46	136	122	X5G	70	60
45	157	146	46	-	158	45	128	122			
44	-	145	45	-	158	44	128	121			
B4R 47	-	134	44	-	157	C5M 47	-	112	N1L	65	55
46	150	134	C3L 47	-	153	46	128	112	N2L	-	0
45	147	134	46	156	153	45	118	112	N1R	62	49
44	-	133	45	-	153	44	114	111	N2R	23	0
B5R 47	-	124	44	-	152	C3G 47	-	133	N1G	51	37
46	-	124	C4L 47	-	140	46	-	133	N2G	25	0
45	-	124	46	158	140	45	-	133			
44	-	123	45	-	140	44	-	131			
B1D 47	-	157	44	-	139	C4G 47	-	119			

See footnotes on page 19.

-18-

Continued

Table 11.—Average prices and loan rates at auction per 100 pounds, by group and grade 1/—Continued

1/ Grade averages are based on auction sales, including purchases at loan rates.

These grades supported 10 cents lower than the stated rate if marketed in untied form.

Table 12.--Percentage of gross auction sales, by group, type, and crop year

Type 21							
Crop year	A Wrappers	B Heavy leaf	C Thin leaf	T Tips	X Lugs	N Nondescript	Misc. 1/
1978	.1	18.1	51.1	NA	17.8	10.5	2.4
1979	.4	29.9	37.9	NA	18.2	11.2	2.4
1980	- 2/	12.8	51.6	NA	20.3	12.7	2.6
1981	.1	20.4	47.3	NA	19.0	9.9	3.3
1982	-	23.6	39.2	NA	17.7	14.5	5.0

Types 22 & 23							
1978	.5	8.3	55.2	NA	21.7	8.0	6.3
1979	1.1	12.0	55.7	NA	20.8	7.6	2.8
1980	.3	5.7	52.0	NA	29.3	9.3	3.4
1981	-	11.9	46.2	NA	30.7	7.3	3.9
1982	.4	19.4	51.3	NA	23.3	3.3	2.3

Types 35							
1978	- 2/	13.5	41.0	.1	18.9	14.6	11.9
1979	.3	11.8	40.9	.1	18.1	14.7	14.1
1980	.1	10.0	51.3	.8	22.2	12.2	3.4
1981	-	13.4	47.8	.2	23.0	9.1	6.5
1982	- 2/	14.5	45.9	- 2/	16.8	8.5	14.3

Type 36							
1978	-	3.3	51.0	1.4	10.6	16.6	17.1
1979	- 2/	2.5	53.6	1.1	12.5	15.0	15.3
1980	-	7.9	54.1	3.8	16.7	8.8	8.7
1981	-	.2	64.4	1.3	14.4	9.9	9.8
1982	-	2.9	65.3	1.8	15.0	6.6	8.4

Type 37							
1978	.1	31.3	25.6	.6	22.0	16.0	4.4
1979	- 2/	19.2	22.9	.2	21.0	19.7	17.0
1980	- 2/	29.7	28.0	.2	31.0	9.1	2.0
1981	-	28.6	21.4	.2	32.1	9.8	7.9
1982	-	23.1	28.1	-	15.8	21.1	11.9

Table 13.--Percentage of gross auction sales, by quality, type, and crop year

Type 21							
Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	Nondescript	Misc. 1/
1978	6.9	4.7	16.1	32.5	26.8	10.5	2.5
1979	2.2	8.2	21.5	34.6	19.8	11.2	2.5
1980	1.5	4.4	17.3	37.7	23.8	12.7	2.6
1981	2.0	5.1	18.5	38.9	22.4	9.9	3.2
1982	.9	3.0	12.1	35.6	28.9	14.5	5.0

Types 22 & 23							
1978	.2	1.7	15.5	44.5	23.9	8.0	6.2
1979	.8	2.9	15.4	40.7	29.8	7.6	2.8
1980	- 2/	1.4	12.9	40.8	32.3	9.3	3.3
1981	.7	2.7	14.0	40.7	30.8	7.3	3.8
1982	.8	4.2	25.4	40.2	23.8	3.3	2.3

Type 35							
1978	.3	2.6	19.4	34.7	16.5	14.6	11.9
1979	.3	2.0	11.3	34.6	23.0	14.7	14.1
1980	.4	3.0	18.5	43.6	18.8	12.2	3.5
1981	.2	1.5	16.3	43.0	23.3	9.1	6.6
1982	.2	1.4	13.0	38.8	23.8	8.5	14.3

See footnotes on page 21.

Continued

Table 13.--Percentage of gross auction sales, by quality, type, and crop year--Continued

Crop year	Type 36						
	1 Choice	2 Fine	3 Good	4 Fair	5 Low	Nondescript	Misc. 1/
1978	- 2/	.7	7.9	38.5	19.2	16.6	17.1
1979	-	.4	3.3	33.0	33.1	15.0	15.2
1980	- 2/	.1	8.6	57.5	16.3	8.8	8.7
1981	-	.5	13.5	45.1	21.2	9.9	9.8
1982	.1	1.2	16.4	47.0	20.3	6.6	8.4

Crop year	Type 37						
	.7	3.3	16.6	37.3	21.7	16.0	4.4
1978	.1	2.2	9.1	27.4	24.5	19.7	17.0
1979	.8	2.6	15.9	47.3	22.3	9.1	2.0
1980	.1	.5	9.6	44.3	27.8	9.8	7.9
1981	.6	1.9	6.9	27.6	30.0	21.1	11.9

Table 14.--Percentage of gross auction sales, by color, type, and crop year

Crop year	Type 21								Misc. 1/
	L	VF	F	R	D	M	G	Non.	
1978	6.7	NA	35.7	NA	15.7	19.4	9.7	10.5	2.3
1979	4.0	NA	49.7	NA	11.2	13.8	7.7	11.2	2.4
1980	10.5	NA	31.8	NA	.8	27.7	13.9	12.7	2.6
1981	6.8	NA	37.9	NA	7.3	25.5	9.3	9.9	3.3
1982	3.3	NA	36.4	NA	5.0	27.0	8.8	14.5	5.0

Crop year	Types 22 & 23								6.2
	.3	23.6	23.6	NA	10.4	5.9	22.0	8.0	
1978	1.5	18.7	35.7	NA	9.7	4.9	19.1	.7.6	2.8
1979	.6	27.8	15.9	NA	10.0	7.2	25.8	9.3	3.4
1980	.9	17.2	29.7	NA	12.0	9.8	19.2	7.3	3.9
1981	1.1	18.3	42.8	NA	14.8	2.9	14.5	3.3	2.3

Crop year	Type 35								12.0
	.6	NA	32.0	14.0	.1	8.2	18.5	14.6	
1978	.9	NA	30.6	14.5	- 2/	8.7	16.4	14.7	14.2
1979	1.6	NA	26.6	16.2	- 2/	15.5	24.4	12.2	3.5
1980	.9	NA	30.5	20.2	.2	15.3	17.4	9.1	6.4
1981	.5	NA	28.9	20.2	.1	11.3	16.2	8.5	14.3

Crop year	Type 36								16.9
	.5	NA	10.6	19.3	- 2/	18.1	18.0	16.6	
1978	.6	NA	11.1	11.8	-	31.5	14.8	15.0	15.2
1979	.4	NA	10.0	19.3	- 2/	33.1	19.6	8.8	8.8
1980	.9	NA	21.6	14.7	-	28.5	14.6	9.9	9.8
1981	1.2	NA	26.0	34.9	.1	12.3	10.5	6.6	8.4

Crop year	Type 37								4.4
	5.0	NA	35.6	4.8	1.7	11.3	21.2	16.0	
1978	1.2	NA	29.5	9.2	- 2/	10.8	12.6	19.7	17.0
1979	.5	NA	42.1	.4	- 2/	33.6	12.4	9.1	1.9
1980	.1	NA	32.3	3.1	.6	36.5	9.8	9.8	7.8
1981	1.0	NA	30.5	2.4	-	22.6	10.5	21.1	11.9

1/ Includes No-G, Wet (W) and Unsound (U). See pages 5 and 6 for key to standard grade marks.

2/ Volume insufficient to quote percentage.

N/A - not applicable.

Table 15.—Percentage distribution, by grades, for fire-cured tobacco type 21, 1982 crop

Group and grade	Crop of 1982						
Wrappers							
A1F 47	--	B5D 47	.002	C5L 46	.205	C3G 45	--
46	--	46	.081	45	.241	44	--
45	--	45	.115	44	.017	C4G 47	.079
A2F 47	--	44	.026	Total CL	3.080	46	.439
46	--	43	.003	C1F 47	.328	45	.309
45	--	Total BD	1.250	46	.187	44	.074
Total AF	--	B3M 47	.002	45	--	C5G 47	.082
A1D 47	--	46	.048	C2F 47	.228	46	.593
46	--	45	.043	46	1.065	45	.499
45	--	44	--	45	.029	44	.205
A2D 47	--	43	--	44	--	Total CG	2.296
46	--	B4M 47	.047	C3F 47	.650	Total C	38.706
45	--	46	.708	46	3.393	Lugs	
Total AD	--	45	1.103	45	.687	X1L	--
Total A	--	44	.379	44	.046	X2L	.010
Heavy Leaf		43	.016	C4F 47	.340	X3L	.009
B1F 47	.129	B5M 47	.019	46	4.933	X4L	.132
46	.161	46	.276	45	3.414	X5L	.022
45	--	45	.440	44	.355	Total XL	.173
B2F 47	.258	44	.281	C5F 47	.070	X1F	.013
46	.910	43	.071	46	1.598	X2F	.003
45	.095	Total BM	3.433	45	1.588	X3F	.020
44	--	B3G 47	.010	44	.177	X4F	.239
B3F 47	.528	46	.029	Total CF	19.088	X5F	.151
46	3.678	45	--	C2D 47	--	Total XF	.426
45	1.149	44	--	46	--	X1D	--
44	.136	43	--	45	--	X2D	--
43	--	B4G 47	.062	44	--	X3D	--
B4F 47	.296	46	.534	C3D 47	.004	X4D	--
46	3.716	45	.444	46	.021	X5D	.021
45	3.122	44	.081	45	--	Total XD	.021
44	.550	43	.002	44	--	X3M	.044
43	.006	B5G 47	.010	C4D 47	.056	X3M 45	.016
B5F 47	.076	46	.311	46	.592	X4M	3.100
46	.720	45	.478	45	.391	X4M 45	1.348
45	.772	44	.163	44	.046	X5M	6.520
44	.190	43	.049	C5D 47	.039	X5M 45	1.620
43	.009	Total BG	2.173	46	.943	Total XM	12.648
Total BF	16.501	Total B	23.357	45	1.250	X3G	--
B1D 47	--	Thin Leaf		44	.363	X3G 45	--
46	--	C1L 47	.025	Total CD	3.705	X4G	.518
45	--	46	.050	C3M 47	.007	X4G 45	.345
B2D 47	.002	45	--	46	.148	X5G	2.454
46	.047	C2L 47	.089	45	.087	X5G 45	.870
45	.031	46	.219	44	--	Total XG	4.187
44	--	45	.004	C4M 47	.190	Total X	17.455
B3D 47	.008	44	--	46	1.799	Nondescript	
46	.220	C3L 47	.053	45	2.629	N1L	1.791
45	.067	46	.593	44	.732	N1D	3.119
44	.021	45	.187	C5M 47	.066	N1GL	3.462
43	--	44	.013	46	1.442	N1GD	3.414
B4D 47	.037	C4L 47	.042	45	2.461	N2	2.522
46	.353	46	.762	44	.976	Total N	14.308
45	.175	45	.524	Total CM	10.537	No-G	2.631
44	.062	44	.043	C3G 47	.013	"W"	1.367
43	--	C5L 47	.013	46	.003	"U"	2.176
						Grand total	100.000

Table 16.—Percentage distribution, by grades, for fire-cured tobacco types 22 and 23, 1982 crop

Group and grade	Crop of 1982	Group and grade	Crop of 1982	Group and grade	Crop of 1982	Group and grade	Crop of 1982	Group and grade	Crop of 1982
Wrappers									
A1F 47	--	B5VF 47	.092	B5G 46	.148	C3VF 45	.322	C3G 44	--
46	.045	46	.360	45	.003	44	.003	43	--
45	--	45	.058	44	--	43	--	C4G 47	.432
44	--	44	.010	43	--	C4VF 47	.484	46	1.145
A2F 47	.004	43	--	Total BG	.654	46	3.533	45	.191
46	.089	Total BVF	1.767	Total B	19.701	45	.408	44	.014
45	--	B1D 47	--	Thin Leaf		44	.027	43	--
A3F 47	.078	46	--	C1L 47	--	43	.004	C5G 47	.242
46	.043	45	--	46	--	C5VF 47	.188	46	2.445
45	--	44	--	45	--	46	2.392	45	.466
Total AF	.259	B2D 47	.027	44	--	45	.484	44	.018
A1D 47	--	46	.051	C2L 47	--	44	--	43	.006
46	--	45	--	46	.027	Total CVF	9.216	Total CG	4.985
45	--	44	.008	45	--	C1D 47	.051	Total C	51.364
A2D 47	.011	B3D 47	.035	44	--	46	.119	Lugs	
46	.086	46	.449	C3L 47	.065	45	--	X1L	--
45	--	45	.048	46	.342	45	--	X2L	.025
A3D 47	.016	44	.012	45	.082	44	--	X3L	.016
46	.001	43	--	44	--	C2D 47	.136	X4L	.059
45	--	B4D 47	.177	43	--	46	.726	X5L	.049
Total AD	.114	46	.291	C4L 47	.005	45	.021	Total XL	.149
Total A	.373	45	.054	46	.230	44	.002	X1F	.040
Heavy Leaf									
B1F 47	.027	44	.002	45	.111	C3D 47	.664	X2F	.184
46	.111	43	--	44	--	46	3.039	X3F	.537
45	--	B5D 47	.013	43	--	45	.359	X4F	1.431
44	--	46	.106	C5L 47	--	44	--	X5F	.871
B2F 47	.281	45	.012	46	.074	C4D 47	.488	Total XF	3.063
46	.830	44	--	45	.085	46	X3VF	.481	
45	.066	43	--	44	--	45	X4VF	4.296	
44	.015	Total BD	1.285	43	--	45	X5VF	2.600	
B3F 47	1.559	B3M 47	--	Total CL	1.021	44	.017	Total XVF	7.377
46	5.316	46	.010	C1F 47	--	43	--	X1D	--
45	.320	45	--	46	.441	C5D 47	.167	X2D	.016
44	.043	44	--	45	.005	46	1.259	X3D	.097
43	--	B4M 47	--	44	--	45	.171	X4D	.953
B4F 47	1.181	46	.097	C2F 47	.358	44	.011	X5D	.985
46	4.355	45	.050	46	1.106	43	--	Total XD	2.051
45	.419	44	--	45	.031	Total CD	11.005	X3M	.065
44	.014	43	--	44	--	C3M 47	.005	X4M	.515
43	--	B5M 47	.010	C3F 47	1.407	46	.171	X5M	.595
B5F 47	.195	46	.021	46	6.690	45	.074	Total XM	1.175
46	.995	45	.034	45	.661	44	--	X3G	.023
45	.046	44	--	44	.005	C4M 47	.012	X4G	4.074
44	--	43	--	43	--	46	.544	X5G	4.899
43	--	Total BM	.222	C4F 47	.763	45	.290	Total XG	8.996
Total BF	15.773	B3G 47	.004	46	7.764	44	.004	Total X	22.811
B3VF 47	.110	46	.008	45	.892	43	--	Nondescript	
46	.378	45	--	44	.009	C5M 47	.027	N1L	.371
45	.052	44	--	43	.004	46	.359	N1D	.316
44	--	43	--	46	2.561	45	.134	N1G	2.261
43	--	B4G 47	.132	45	.654	44	.009	N2	.510
B4VF 47	.225	46	.213	44	.013	43	--	Total N	3.458
46	.405	45	.033	43	--	Total CM	1.629	No-G	1.105
45	.077	44	.003	Total CF	23.508	C3G 47	.005	"W"	1.119
44	--	43	--	C3VF 47	.121	46	.021	"U"	.069
43	--	B5G 47	.110	46	1.250	45	--	Grand total	100.000

Table 17.—Percentage distribution, by grades, for dark air-cured tobacco type 35, 1982 crop

Group and grade	Crop of 1982								
Wrappers									
A1F 47	--	B4R 47	.105	B5G 44	.005	C3R 47	.035	T4M	--
46	--	46	1.355	Total BG	1.010	46	1.732	T5M	.005
45	--	45	.147	Total B	14.458	45	.194	Total TM	.005
A2F 47	--	44	.044	Thin Leaf		44	.003	T3G	--
46	.005	B5R 47	.021	C1L 47	--	C4R 47	.341	T4G	.008
45	--	46	.713	46	--	46	8.139	T5G	--
A3F 47	--	45	.164	45	--	45	1.631	Total TG	.008
46	--	44	.026	44	--	44	.018	Total T	.051
45	--	Total BR	2.887	C2L 47	--	C5R 47	.018	Lugs	
Total AF	.005	B1D 47	--	46	--	46	3.002	X1L	--
A1R 47	--	46	--	45	--	45	1.133	X2L	.001
46	--	45	--	44	--	44	.055	X3L	.032
45	--	44	--	C3L 47	--	Total CR	16.352	X4L	.039
A2R 47	--	B2D 47	--	46	.070	C3M 47	--	X5L	.007
46	--	46	--	45	.031	46	.363	Total XL	.079
45	--	45	--	44	--	45	.040	X1F	.025
A3R 46	--	B3D 47	.028	C4L 47	--	44	--	X2F	.163
45	--	46	--	46	.204	C4M 47	.088	X3F	.950
Total AR	--	46	--	45	.056	46	2.684	X4F	.795
Total A	.005	45	--	44	--	45	.888	X5F	.323
Heavy Leaf				C5L 47	--	44	.010	Total XF	2.256
B1F 47	--	B4D 47	--	46	.017	C5M 47	.007	X1R	--
46	--	46	--	45	.016	46	1.473	X2R	.013
45	--	45	--	44	--	45	.670	X3R	.316
44	--	44	--	Total CL	.394	44	.031	X4R	.369
B2F 47	--	B5D 47	--	C1F 47	--	44	--	X5R	.244
46	.308	46	.054	46	.215	C3G 47	--	Total XR	.942
45	.029	45	--	45	--	46	.038	X3D	--
44	--	44	--	44	--	45	--	X4D	--
B3F 47	.018	Total BD	.082	C2F 47	.011	44	--	X5D	.032
46	2.585	B3M 47	--	46	.626	C4G 47	.070	Total XD	.032
45	.112	46	.042	45	.105	46	1.428	X3M	.559
44	.002	45	--	44	--	45	.220	X4M	1.664
B4F 47	.184	B4M 47	.064	C3F 47	.100	44	.001	X5M	1.624
46	4.014	46	.683	46	5.176	C5G 47	.062	Total XM	3.847
45	.519	45	.240	45	.240	46	3.248	X3G	.077
44	.008	45	.074	44	--	45	.464	X4G	3.789
B5F 47	--	44	.018	C4F 47	.149	44	.037	X5G	5.810
46	1.319	B5M 47	--	46	7.701	Total CG	5.568	Total XG	9.676
45	.143	46	.236	45	.959	Total C	45.938	Total X	16.832
44	.022	45	.099	44	--	Tips		Nondescript	
Total BF	9.263	44	--	C5F 47	.044	T3F	--	N1L	.208
B1R 47	--	Total BM	1.216	46	1.756	T4F	--	N2L	.067
46	--	B3G 47	.012	45	.275	T5F	--	N1R	.638
45	--	46	.009	44	.013	Total TF	--	N2R	.206
44	--	45	--	Total CF	17.370	T3R	--	N1G	6.097
B2R 47	--	44	--	C1R 47	--	T4R	.026	N2G	1.246
46	--	B4G 47	.006	46	--	T5R	.012	Total N	8.462
45	.006	46	.300	45	--	Total TR	.038	No-G	6.917
44	--	45	.014	44	--	T3D	--	"W"	4.975
B3R 47	--	44	.003	C2R 47	--	T4D	--	"U"	2.362
46	.279	B5G 47	.045	46	.051	T5D	--	Grand total	
45	.027	46	.541	45	--	Total TD	--	100.000	
44	--	45	.075	44	--	T3M	--		

Table 18.--Percentage distribution, by grades, for dark air-cured tobacco type 36, 1982 crop

Group and grade	Crop of 1982								
Wrappers									
A1F 47	--	B4R 47	--	B5G 44	--	C3R 47	--	T4M	.168
46	--	46	.622	Total BG	.167	46	4.911	T5M	.034
45	--	45	.274	Total B	2.930	45	1.506	Total TM	.202
A2F 47	--	44	.046	Thin Leaf		44	.337	T3G	--
46	--	B5R 47	--	C1L 47	--	C4R 47	.214	T4G	.025
45	--	46	--	46	--	46	9.471	T5G	.016
A3F 47	--	45	.023	45	--	45	6.706	Total TG	.041
46	--	44	--	44	--	44	1.123	Total T	1.769
45	--	Total BR		C2L 47	--	C5R 47	--	Lugs	
Total AF	--	B1D 47	--	46	--	46	2.846	X1L	--
A1R 47	--	46	--	45	--	45	2.280	X2L	--
46	--	45	--	44	--	44	.830	X3L	.131
45	--	44	--	C3L 47	--	Total CR		X4L	--
A2R 47	--	B2D 47	--	46	.603	C3M 47	--	X5L	--
46	--	46	--	45	.029	46	.190	Total XL	.131
45	--	45	--	44	--	45	--	X1F	--
A3R 46	--	B3D 47	--	44	--	C4L 47	--	X2F	.013
45	--	47	--	46	.410	44	.005	X3F	.140
Total AR	--	46	--	45	.065	C4M 47	.012	X4F	.304
Total A	--	45	--	44	--	46	3.220	X5F	.750
Heavy Leaf									
B1F 47	--	B4D 47	--	C5L 47	--	45	.181	Total XF	1.207
46	--	46	--	46	--	C5M 47	--	X1R	--
45	--	46	--	45	--	46	1.159	X2R	--
44	--	45	.043	44	--	45	.688	X3R	.159
B2F 47	--	B5D 47	--	Total CL		44	.153	X4R	1.058
46	--	47	--	C1F 47	--	C5M 47	--	X5R	.623
45	--	46	--	46	.078	Total CM		Total XR	1.840
44	--	45	--	45	--	C3G 47	--	X3D	--
B3F 47	--	Total BD		44	--	46	--	X4D	--
46	.071	B3M 47	--	C2F 47	.106	45	--	X5D	--
45	.158	46	--	46	.771	C4G 47	--	Total XD	--
44	--	45	--	45	.106	46	1.562	X3M	.493
B4F 47	.099	B4M 44	--	C3F 47	--	46	.650	X4M	2.171
46	.841	47	--	46	5.375	44	.040	X5M	2.540
45	.124	46	--	45	1.820	C5G 47	--	Total XM	5.204
44	--	45	.143	44	.049	46	.974	X3G	--
B5F 47	--	B5M 44	.014	C4F 47	.443	45	.411	X4G	1.958
46	--	47	--	46	9.388	44	.057	X5G	4.680
45	--	46	--	45	2.933	Total CG		Total XG	6.638
44	--	45	--	44	.137	Total C	65.263	Total X	15.020
Total BF	1.293	44	--	C5F 47	.033	Tips		Nondescript	
B1R 47	--	Total BM		46	1.304	T3F	.047	N1L	.175
46	--	B3G 47	--	45	.740	T4F	.066	N2L	.055
45	--	46	--	44	.086	T5F	--	N1R	.629
44	--	45	--	Total CF		Total TF	.113	N2R	.152
B2R 47	--	44	--	C1R 47	--	T3R	.049	N1G	4.226
46	--	B4G 47	--	46	--	T4R	1.197	N2G	1.366
45	--	46	.104	45	--	T5R	.083	Total N	6.603
44	--	45	.063	44	--	Total TR	1.329	No-G	2.889
B3R 47	--	44	--	C2R 47	--	T3D	--	"W"	4.110
46	.093	B5G 47	--	46	.134	T4D	.072	"U"	1.416
45	.207	46	--	45	.044	T5D	.012	Total TD	.084
44	.005	45	--	44	--	T3M	--	Grand total	100.000

Table 19.—Percentage distribution, by grades, for dark air-cured tobacco type 37, 1982 crop

Group and grade	Crop of 1982								
Wrappers									
A1F 47	--	B4R 47	--	B5G 44	.205	C3R 47	--	T4M	--
46	--	46	--	Total BG	1.659	46	--	T5M	--
45	--	45	.070	Total B	23.104	45	--	Total TM	--
A2F 47	--	44	.012	Thin Leaf		44		T3G	--
46	--	B5R 47	--	C1L 47	--	C4R 47	--	T4G	--
45	--	46	--	46	--	46	.014	T5G	--
A3F 47	--	45	.129	45	--	45	.025	Total TG	--
46	--	44	.092	44	--	44	--	Total T	--
45	--	Total BR	.303	C2L 47	--	C5R 47	--	Lugs	
Total AF	--	B1D 47	--	46	--	46	.205	X1L	--
A1R 47	--	46	--	45	--	45	1.205	X2L	.036
46	--	45	--	44	--	44	.615	X3L	--
45	--	B2D 47	--	C3L 47	--	Total CR	2.064	X4L	.009
A2R 47	--	46	--	46	.159	C3M 47	--	X5L	--
46	--	45	--	45	.080	46	.019	Total XL	.045
45	--	45	--	44	--	45	.082	X1F	--
A3R 46	--	44	--	C4L 47	--	44	--	X2F	--
45	--	B3D 47	--	46	.115	C4M 47	--	X3F	.036
Total AR	--	46	--	45	.317	46	1.827	X4F	.079
Total A	--	45	--	44	.044	45	1.849	X5F	.140
Heavy Leaf				C5L 47	--	44	.648	Total XF	.255
B1F 47	--	B4D 47	--	46	.023	C5M 47	--	X1R	--
46	.303	46	--	45	.072	46	2.007	X2R	--
45	.292	45	--	44	.103	45	3.031	X3R	--
44	--	44	--	Total CL	.913	44	1.183	X4R	--
B2F 47	--	B5D 47	--	C1F 47	--	Total CM	10.646	X5R	--
46	.592	46	--	46	--	C3G 47	--	Total XR	--
45	.675	45	--	45	.017	46	--	X3D	--
44	--	44	--	44	--	45	--	X4D	--
B3F 47	--	Total BD	--	C2F 47	--	44	--	X5D	--
46	2.214	B3M 47	--	46	.576	C4G 47	--	Total XD	--
45	1.741	46	.025	45	.035	46	.305	X3M	.054
44	.146	45	--	44	--	45	.415	X4M	2.859
B4F 47	--	44	--	C3F 47	--	44	.087	X5M	6.713
46	4.264	B4M 47	--	46	1.639	C5G 47	--	Total XM	9.626
45	4.293	46	.633	45	.455	46	1.331	X3G	--
44	.907	45	.282	44	.243	45	.762	X4G	1.182
B5F 47	--	44	.071	C4F 47	--	44	.140	X5G	4.626
46	1.256	B5M 47	--	46	2.919	Total CG	3.040	Total XG	5.808
45	1.322	46	.384	45	2.916	Total C	28.035	Total X	15.734
44	.812	45	.687	44	.369	Tips		Nondescript	
Total BF	18.817	44	.243	46	.751	T3F	--	N1L	1.926
B1R 47	--	Total BM	2.325	45	1.103	T4F	--	N2L	.506
46	--	B3G 47	--	44	.349	T5F	--	N1R	1.982
45	--	46	--	Total CF	11.372	Total TF	--	N2R	1.186
44	--	45	--	C1R 47	--	T3R	--	N1G	9.252
B2R 47	--	44	--	46	--	T4R	--	N2G	6.205
46	--	B4G 47	--	45	--	T5R	--	Total N	21.057
45	--	46	.289	44	--	Total TR	--	No-G	4.522
44	--	45	.575	44	--	T3D	--	"W"	1.487
B3R 47	--	44	.094	C2R 47	--	T4D	--	"U"	6.061
46	--	B5G 47	--	46	--	T5D	--	Total TD	--
45	--	46	.232	45	--	T3M	--	Grand total	100.000
44	--	45	.264	44	--				

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
WASHINGTON, D.C. 20250

Official Business

Penalty for Private Use \$300.00.

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR 101



THIRD CLASS